

## **Lista de lucrari - Baican Adrian**

**Articole în extenso în reviste cotate ISI Thomson Reuters, cu factor de impact, în calitate de autor principal:**

1. **Baican A**, Hirako Y, Lazarova Z, Yancey KB, Zillikens D, Sitaru C. IgG autoantibodies to type VII collagen and an exclusive IgG3 reactivity to the laminin  $\alpha 3$  chain in a patient with an autoimmune subepidermal blistering disease. *J Am Acad Dermatol* 2005;53:517-22. doi: 10.1016/j.jaad.2005.05.001. **impact factor 2,97**
2. **Baican A**, Baican C, Chiriac G, Chiriac MT, Macovei V, Zillikens D, Ciuce D, Sitaru C. Pemphigus vulgaris is the most common autoimmune bullous disease in Northwestern Romania. *Int J Dermatol* 2010;49:768-774. doi: 10.1111/j.1365-4632.2009.04345.x. **impact factor 1,265**
3. **Baican A**, Chiorean R, Leucuta DC, Baican C, Danescu S, Ciuce D, Sitaru C. Prediction of survival for patients with pemphigus vulgaris and pemphigus foliaceus: a retrospective cohort study. *Orphanet Journal of Rare Diseases* 2015;10:48. doi: 10.1186/s13023-015-0263-4. factor de impact 3,358 **Premiul CNCSIS - PN-II-RU-PRECISI-2015-9-9571 impact factor 5,933**
4. Dănescu S, Chiorean R, Macovei V, Sitaru C, **Baican A**. Role of physical factors in the pathogenesis of bullous pemphigoid: Case report series and a comprehensive review of the published work. *J Dermatol.* 2016 Feb;43(2):134-40. doi: 10.1111/1346-8138.13031 factor de impact 2,252 **Premiul CNCSIS PN-III-P1-1.1-PRECISI-2016-12291, impact factor 2,094**
5. Slavescu KC, Chiorean R, Danescu S, Bota M, Rogojan L, **Baican A**. Diffuse cutaneous bullous mastocytosis with IgM deposits at dermo-epidermal junction. *J Cutan Pathol.* 2016 Mar;43(3):263-269. doi: 10.1111/cup.12635 **factor de impact 1,317**
6. **Baican A**, Chiriac G, Baican C, Macovei V, Ciuce D, Fritsch A, Sitaru C. Metal sensitization precipitates skin blistering in epidermolysis bullosa acquisita. *J Dermatol* 2010;37:280-2. doi: 10.1111/j.1346-8138.2010.00810.x. **impact factor 1,355**
7. **Baican A**, Chiriac G, Torio-Padron N, Sitaru C. Childhood epidermolysis bullosa acquisita associated with severe dental alterations: a case presentation. *J Dermatol* 2013;40(5):410-1. doi:10.1111/1346-8138.12107 **impact factor 2,354.**
8. **Baican A**, Norris DA, Birlea SA. Recalcitrant Grysbovski's keratoacanthomas with good response to cimetidine. *Am J Med.* 123:4:e9-e10;2010. doi: 10.1016/j.amjmed.2009.11.014 **impact factor 5,115**

9. Danescu S, Has C, Baican C, Muller T, **Baican A**. A novel IKBKG mutation in a patient with incontinentia pigmenti and features of hepatic ciliopathy. *Austral J Dermatol* 2018; doi:10.1111/ajd.12805 **impact factor 1,305**
10. **Baican A**, Haş Cristina, Crişan Corina, Orăsan R, Petrescu Magda, Machet L, Maier N. Cylindromes cutanés multiples associés aux cylindromes de la glande parotide et sous-mandibulaire. *Ann.Dermatol.Venereol.* 2:909-11;1998. **impact factor 0,328**
11. Danescu S, Baican C, Chiorean R, Filip M, Cismaru G, **Baican A**. Orthostatic hypotension revealed by BASCULE syndrome. *Eur J Dermatol* 2018, doi:10.1684/ejd.2018.3260 **impact factor 2,243**

**Factor cumulat de impact autor principal = 26,279**

**Articole în extenso în reviste cotate ISI Thomson Reuters în calitate de coautor:**

1. Sesarman A, Oswald E, Chiriac MT, Csorba K, Vuta V, Feldrihan V, **Baican A**, Bruckner-Tuderman L, Sitaru C. Why human pemphigoid autoantibodies do not trigger disease by the passive transfer into mice? *Immunol Lett* 2012;143:92-100. doi: 10.1016/j.imlet.2012.01.006. **impact factor 2,337**
2. Sindrilaru A, Peters T, Wieschalka S, Baican C, **Baican A**, Peter H, Hainzl A, Schatz S, Qi Y, Schlecht A, Weiss JM, Wlaschek M, Sunderkötter C, Scharffetter-Kochanek K. An unrestrained proinflammatory M1 macrophage population induced by iron impairs wound healing in humans and mice. *J Clin Invest* 2011 Mar 1;121(3):985-97. doi: 10.1172/JCI44490. **Premiul CNCSIS cod PN-II-RU-PRECISI-2011-3-0153 impact factor 13,069**
3. Danescu S, Leppert J, Cosgarea R, Zurac S, Pop S, **Baican A**, Has C. Compound heterozygosity for dominant and recessive DSG1 mutations in a patient with atypical SAM syndrome (severe dermatitis, multiple allergies, metabolic wasting). *J Eur Acad Dermatol Venereol* 2017;31:e144-e146. **impact factor 3,528**
4. Răchişan AL, Hruşcă A, Gheban D, Căinap S, Pop TL, **Baican A**, Fodor L, Miu N, Andreica M. Granulomatous cheilitis of Miescher: the diagnostic proof for a Melkersson-Rosenthal syndrome. *Rom J Morphol Embryol.* 2012;53(3 Suppl):851–8532012 **impact factor 0,94**
5. L'absorption percutanée: traitements topiques et systémiques. Machet A, **Baican A**, Pelucio-Lopes C, Patat F, Vaillant L. *Ann.Dermatol.Venereol.* 1997;124:490-96 **impact factor 0, 171**

**Articole publicate în reviste BDI:**

1. IgG-F-actin antibodies in celiac disease and dermatitis herpetiformis. Samasca G, **Baican A**, Pop T, Pîrvan A, Miu N, Andreica M, Cristea V, Dejica D. Roum Arch Microbiol Immunol. 2010;Oct-Dec;69(4):177-82;
2. Romanian experience in child celiac disease diagnosis. Samasca G, Iancu M, **Baican A**, Bruchental M, Chereches-Panta P, Fufezan O, Butnariu A, Farcau D, Burac L, Pot T, Parvan A, Slavescu L, Miu N, Andreica M, Matinca D, Gheban D, Nechit r, Ponta M, Constantinescu I, Dejica D, Cristea V. Roum Arch Microbiol Immunol. 2011;70(4):178-85.

12.02.2018

Semnătura

