

**Fișă de verificare a îndeplinirii standardelor minime
(valabilă pentru obținerea atestatului de abilitare în Domeniul Medicină sau Domeniul Farmacie)**
(în conformitate cu O.M. 6129/20.12.2016)

Candidat : Prof. Dr. Gabriela Roman

Nr. Crt.	Activitatea	Tipul activităților	Standarde minime abilitare	Note asupra metodei de calcul	Gradul de îndeplinire
0	1	2	3	4	5
1.	Cercetare	a. Articole <i>in extenso</i> în reviste cotate ISI Thomson Reuters (articole în reviste cu factor de impact) în calitate de autor principal	17	a. Primul autor b. Autorul corespondent c. Ultimul autor	Da
		1. Adriana Fodor, Angela Cozma, Ramona Suharoschi, Adela Sitar-Taut, Gabriela Roman . Clinical and genetic predictors of diabetes drug's response. Drug Metabolism Reviews, 2019, DOI: 10.1080/03602532.2019.1656226 2. Roman G , Rusu A, Graur M, Creteanu G, Morosanu M, Radulian G, Amorin P, Timar R, Pircalaboiu L, Bala C. Dietary patterns and their association with obesity: a cross-sectional study. Acta Endocrinol (Buchar), 2019, Jan-Mar;5(1):86-95. doi: 10.4183/aeb.2019.86. 3. Rusu A, Bala C, Graur M, Creteanu G, Morosanu M, Radulian G, Popa AR, Timar R, Pircalaboiu L, Roman G . Sleep duration and body mass index: moderating effect of self-perceived stress and age. Results of a cross-sectional population-based study. Eat Weight Disord. 2019, Mar 12. doi: 10.1007/s40519-019-00665-0. 4. Rusu A, Bala C, Ciobanu D, Cerghizan A, Roman G . Sleep quality and sleep duration, but not circadian parameters are associated with decreased insulin sensitivity in Type 1 diabetes. Chronobiol Int., 2019, May 23:1-8. doi: 10.1080/07420528.2019.1615501. [Epub ahead of print] 5. Ciobanu DM, Mircea PA, Bala C, Rusu A, Vesa ř, Roman G . Intercellular adhesion molecule-1 (ICAM-1) associates with 24-hour ambulatory blood pressure variability in type 2 diabetes and controls. Cytokine. 2019 Apr;116:134-13 6. Rusu A, Ciobanu D, Bala C, Cerghizan A, Roman G . Social jetlag, sleep-related parameters, and glycemic control in adults with type 1 diabetes: Results of a cross-sectional study. J Diabetes. 2018 Oct 10. doi: 10.1111/1753-0407.12867. [Epub ahead of print] 7. Bala C, Rusu A, Ciobanu DM, Craciun AE, Roman G . The association study of high-sensitivity C-reactive protein, pentraxin 3, nitrotyrosine, and insulin dose in patients with insulin-treated type 2 diabetes mellitus. Ther Clin Risk Manag. 2018 May 28;14:955-963. doi: 10.2147/TCRM.S162086. eCollection 2018 8. Roman G , Rusu A, Bala C. Clinical nutrition education in medical schools - Comment on the ESPEN survey. Clin Nutr. 2018 Jun;37(3):1082. doi: 10.1016/j.clnu.2018.02.027. Epub 2018 Mar 2. 9. Rusu A, Bala CG, Roman G . Response to Kawada: Untreated sleep apnea syndrome and glycemic control in patients with type 2 diabetes. J Diabetes. 2017 Jul;9(7):718. 10. Rusu, A., Bala, C. G., Craciun, A.-E., Roman, G. HbA1c levels are associated with severity of hypoxemia and not with apnea hypopnea index in patients with type 2 diabetes: Results from a cross-sectional study. J Diabetes, 2017 Jun;9(6):555-561 11. Roman G , Bala C, Craciun A, Craciun CI, Rusu A. Eating Patterns, Physical Activity and Their Association with Demographic Factors in the Population Included in the Obesity Study in Romania (ORO Study). Acta Endo (Buc) 2016 12: 47-51 12. Roman G , Bala C, Craciun CI, Rusu A, Craciun AE. The correlation of dawn phenomenon with glycemic variability parameters in type 2 diabetes mellitus. Rev Romana Med Lab. 2016;24(1):55-63. , DOI: 10.1515/rrlm-2016-0004 13. Ciobanu DM, Bala CG, Veresiu IA, Mircea PA, Roman G . High-sensitivity C-reactive protein is associated with 24-hour ambulatory blood pressure variability in type 2 diabetes and control subjects. Rev Romana Med Lab. 2016;24(1):65-73. 14. Roman G , Bala C, Creteanu G, Graur M, Morosanu M, Amorin P, Pircalaboiu L, Radulian G, Timar R, Achimas Cadariu A. Obesity and Health-Related Lifestyle Factors in the General Population in Romania: a Cross Sectional Study. Acta Endo (Buc) 2015 11: 64-72 doi: 10.4183/aeb.2015.64 15. Ciobanu DM Olar LE, Stefan R, Veresiu IA, Bala CG, Mircea PA, Roman G . Fluorophores advanced glycation end products (AGEs)-to-NADH ratio is predictor for diabetic chronic kidney and cardiovascular disease. J Diabetes Complications. 2015 Sep-Oct;29(7):893-7. doi: 10.1016/j.jdiacomp.2015.06.006 16. G. Roman , N. Hancu. Early Insulin Treatment to Prevent Cardiovascular Disease in Prediabetes and Overt Diabetes.			

	Horm Metab Res. 2009; 41: 116 – 122 17. Nita C, Hancu N, Rusu A, Bala C, Roman G . Hypertensive waist: first step of the screening for metabolic syndrome. Met Synd Rel Dis. 2009;7(2):105-110		
b. (ISI) Factor cumulat de Impact autor principal (FCIAP)	35,838		Da
c. Articole <i>in extenso</i> în reviste cotate ISI Thomson Reuters în calitate de coautor	12		Da
<p>1. Vonica CL, Ilie IR, Socaciuc C, Moraru C, Georgescu B, Farcaș A, Roman G, Mureşan AA, Georgescu CE. Lipidomics biomarkers in women with polycystic ovary syndrome (PCOS) using ultra-high performance liquid chromatography – quadrupole time of flight electrospray in a positive ionization mode mass spectrometry. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, DOI: 10.1080/00365513.2019.1658215</p> <p>2. Nita C, Rusu A, Hancu N, Roman G, Bala C. Hypertensive Waist and Lipid Accumulation Product as Predictors of Metabolic Syndrome. Metab Syndr Relat Disord. 2018 Oct 6. doi: 10.1089/met.2018.0098. [Epub ahead of print]</p> <p>3. Hebebrand J, Holm JC, Woodward E, Baker JL, Blaak E, Durrer Schutz D, Farpour-Lambert NJ, Frühbeck G, Halford JGC, Lissner L, Micic D, Mullerova D, Roman G, Schindler K, Toplak H, Visscher TLS, Yumuk V. A Proposal of the European Association for the Study of Obesity to Improve the ICD-11 Diagnostic Criteria for Obesity Based on the Three Dimensions Etiology, Degree of Adiposity and Health Risk. Obes Facts. 2017;10(4):284-307.</p> <p>4. A Popa SG, Moța M, Mihălțan FD, Popa A, Munteanu I, Moța E, Serafinceanu C, Guja C, Hâncu N, Catrinoiu D, Lichiardopol R, Bala C, Mihai B, Radulian G, Roman G, Timar R. Associations of smoking with cardiometabolic profile and renal function in a Romanian population-based sample from the PREDATORR cross-sectional study. Eur J Gen Pract. 2017 Dec;23(1):164-170.</p> <p>5. S. Popa, M. Moța , A. Popa , E. Moța , C. Serafinceanu, C. Guja, D. Catrinoiu, N. Hâncu, R. Lichiardopol, C. Bala, A. Popa , G. Roman, G. Radulian, R. Timar, B. Mihai. Prevalence of overweight/obesity, abdominal obesity and metabolic syndrome and atypical cardiometabolic phenotypes in the adult Romanian population: PREDATORR study. Journal of Endocrinological Investigation, pp 1-9, First online: 28 April 2016, DOI 10.1007/s40618-016-0470-4</p> <p>6. Craciun A, Rusu A, Craciun CI, Bala C, Roman G, Veresiu IA, Georgescu CE. Changes in Body Composition after Three Months of Insulin Therapy in Type 2 Diabetes - A Cohort Retrospective Study Acta Endo (Buc) 2015 (11): 312-318 doi: 10.4183/aeb.2015.312</p> <p>7. E. Moța, Simona Georgiana Popa, Maria Moța, Adina Mitrea, M. Penescu, Liliana Tuță, C. Serafinceanu, N. Hâncu, Liliana Gârneață, C. Verzan, R. Lichiardopol, Cornelia Zetu, Cristina Căpușă, D. Vlăduțiu, C.n Guja, Doina Catrinoiu, Cornelia Bala, Gabriela Roman, Gabriela Radulian, Romulus Timar, Bogdan Mihai. Prevalence of chronic kidney disease and its association with cardio-metabolic risk factors in the adult Romanian population: the PREDATORR study. Int Urol Nephrol. 2015 Nov;47(11):1831-8. doi: 10.1007/s11255-015-1109-7. Epub 2015 Sep 16.</p> <p>8. Mota, M., Popa, S. G., Mota, E., Mitrea, A., Catrinoiu, D., Cheta, D. M., Guja, C., Hancu, N., Ionescu-Tirgoviste, C., Lichiardopol, R., Mihai, B. M., Popa, A. R., Zetu, C., Bala, C. G., Roman, G., Serafinceanu, C., Serban, V., Timar, R., Veresiu, I. A. and Vlad, A. R. Prevalence of diabetes mellitus and prediabetes in the adult Romanian population: PREDATORR study. Journal of Diabetes. 2015, doi: 10.1111/1753-0407.12297</p> <p>9. L. Czupryniak, L. Barkai, Svetlana Bolgarska, Agata Bronisz, J. Broz, Katarzyna Cypryk, M. Honka, A. Janez, M. Krnic, N. Lalic, E. Martinka, D. Rahelic, Gabriela Roman, Tsvetalina Tankova, T.Varkonyi, B. Wolnik, Nadia Zherdova. Self-Monitoring of Blood Glucose in Diabetes: From Evidence to Clinical Reality in Central and Eastern Europe—Recommendations from the International Central-Eastern European Expert Group. Diabetes Technology & Therapeutics, 2014, 16(7), 460–475. doi.org/10.1089/dia.2013.0302</p> <p>10. Mathus-Vliegen E.M.H. · Basdevant A. · Finer N. · Hainer V. · Hauner H. · Micic D. · Maislos M. · Roman G. · Schutz Y. · Tsigos C. · Toplak H. · Yumuk V. · Zahorska-Markiewicz B. Prevalence, Pathophysiology, Health Consequences and Treatment Options of Obesity in the Elderly: A Guideline. Obes Facts 2012;5:460–483 (DOI:10.1159/000341193)</p> <p>11. Constantine Tsigos, Vojtech Hainer, Arnaud Basdevant, Nick Finer, Elisabeth Mathus-Vliegen, Dragan Micic, Maximo Maislos, Gabriela Roman, Yves Schutz, Hermann Toplak, Volkan Yumuk, Barbara Zahorska-Markiewicz, for the Obesity Management Task Force of the European Association for the Study of Obesity. Criteria for EASO-Collaborating Centres for Obesity Management. Obes Facts 2011;4:329–333</p> <p>12. Constantine Tsigos, Vojtech Hainer, Arnaud Basdevant, Nick Finer, Martin Friede, Elisabeth Mathus-Vliegen, Dragan Micic, Maximo Maislos, Gabriela Roman, Yves Schutz, Hermann Toplak, Barbara Zahorska-Markiewicz; for the Obesity Management Task Force of the European Association for the Study of Obesity. Management of Obesity in Adults: European Clinical Practice Guidelines. Obes Facts. 2008;1(2):106-16. doi: 10.1159/000126822.</p>			

	d. Index Hirsch	8	Va fi luat în considerare Indexul Hirsch calculat utilizând ISI Web of Science, Core Collection, Thomson Reuters	Da
--	------------------------	----------	--	-----------

Cluj – Napoca,

Semnătura